THE PERFECT VIEW

A StoneHaven Group Company

THE ARCHITECTURAL COLLECTION



Staircases & Railings

STAIR SYSTEMS / RAILINGS / DETAILS

Tpvcommercial.com | (212)-464-7433

CATALOG Staircase & Railing

A Staircase


- Straight staircase ····· 03-22
- Floating staircase ····· 23-28
- Spiral staircase ····· 29-34
- Curved staircase ····· 35-42
- Gass staircase ····· 43-46

B Railing

- Aluminum U channel base ····· 47-56
- Standoff glass railing ····· 69-74
- Cable railing ····· 81-84
- Aluminum railing ····· 91-96
- Laser cutting ·····101-104
- WPC ····· ····· 111-113
- Spigot glass railing ····· 57-68
- Glass baluster railing ····· 75-80
- Rod railing ····· 85-90
- Wrought iron ····· 97-100
- Aluminum slat fence ····· 105-110
- PVC railing ····· 114-116











How to measure the staircase dimension?

Well width(W):deciding step length

Well length(L):deciding the shape of staircase


Beam thickness(A):deciding the fixing position

Floor height(H):deciding step height and step quantity

Step height(R)

Step depth(D)

Step width(B)




> > > 01/02


Straight Staircase




Reference Specification:
Floor height: 2625mm
Step width: 1010mm
Center beam thickness: 6mm
Riser:187.5mm

Component
Stair beam: 200*100*6mm/150*150*6mm carbon steelsus304, sus316 satin/mirror finish.
Tread support: 38*38mm tube;6mm tread plate carbon steel sus304,sus316 satin/mirror finish.
Tread: Carbon steel; stainless steel, solid wood; Glass.
Baluster: Diameter 50.8mmbaluster carbon steelsus304,sus316 satin/mirror finish.
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Railing: Glass; carbon steel; stainless steel


50.8MM handrail
304S.S
?50.8MM vertical post
304S.S
12+1.52+12mm laminated tempered clear glass
Staircase Treads
12mm tempered
clear glass
200*100*6MM Staircase Beam
304S.S
10mm tread support
304S.S
2625
914.4
915
260
187.5


915
10
250
20
230
up
Landing
1010
2530
C
B
A

Central Beam Straight Staircase




PR-L002


PR-L003


PR-L004


PR-L005



PR-L006




PR-L007



PR-L008



PR-L009









> > > 07/08



PR-L014


PR-L015


PR-L016



PR-L017

Double Stringer Straight Staircase




Technical Data
Floor height: 4200mm
Step width: 1250mm
Center beam thickness: 6mm
Riser: 155.6mm

Component
Stair beam: 300*6+300*6mm carbon steel . powder coated finish
Tread support: 6mm bend plate carbon steel . powder coated finish
Tread: 20mm White marble with cover board
Baluster: 6+1.52+6mm tempered clear glass panel
Handrail: 40*40mm 304 sus U channel top handrail. electroplate gold color




A ELEVATION



2ND floor plan



PR-L018



PR-L019



PR-L020


PR-L021


PR-L022


PR-L023


PR-L024


PR-L025


PR-L026

Straight Staircase





PR-L028


PR-L029


PR-L030


PR-L031



PR-L034


PR-L032


PR-L033



Floor to floor height=2750mm, Step Width=1000mm, Riser=171.9mm, step=13pcs+2pcs platform			
Staircase stringer	Carbon steel	60*40*3mm main tube +40*40*3mm tube+20*20*2mm	galvanized+baking color
Tread support		8mm thickness carbon steel tread support plate	
Staircase tread	Sloid white oak wood	18mm thick marble stone steps	Can adjust the color
Staircase single side railing（height=1100mm）	Handrail	Dia40mm round white oak timber solid wood handrail	Painting(can adjust the color)
	LED light	Built In LED Light switch controlled	warm color
	Tempered glass	12mm tempered glass panel, polish edges with glass clamps connections	clear
Including all the accessories			


60.6
2141.1
1908.7
1573.5
1000
1#glass
510.1
45
559.9
535
1000
352.5
460
366
1#handrail
2770
2750
2170
1054.3
431.7
65


PR-L036


PR-L037


PR-L038


PR-L039


PR-L040


PR-L041



PR-L042

Outdoor Staircase



Technical Data:
Floor to floor height: 5100mm/11'81/2"
Step Width: 1000mm
Riser: 170mm

Component
Stair beam: 250*80*9mm carbon steel c profile beam
Tread Support: 6mm carbon steel checkered olate tread
Tread: Carbon steel; stainless steel, solid wood; Glass.
Baluster: Diameter 50.8mmbaluster carbon steel .sus304,sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC wood
Rod: 8mm solid rod,12.7mm rod, carbon steel .sus304,sus316 satin/mirror finish










PR-L047


PR-L048


PR-L049


PR-L050


PR-L051


PR-L052

Floating Staircase



PR-F001



PR-F002


PR-F003

Reference Specification
Floor height: 3000mm
Step width: 1000mm
Center beam thickness: 10mm
Riser: 187.5mm

Component
Stair Beam: 350*100*10mm carbon steel , sus304, sus316 satin/mirror finish
Tread support: 40*40*5mm /50*50*5mm tube carbon steel, sus304, sus316 satin/mirror finish
Tread: Carbon steel, stainless steel, solid wood, Glass.
Handrail: Diameter 50.8mm carbon steel, stainless steel, PVC, wood
Railing: Glass, carbon steel, stainless steel





A ELEVATION

Glass Floating Staircase


PR-F004


PR-F005


PR-F006

Wood Floating Staircase


PR-F007


PR-F008


PR-F009


PR-F010


PR-F011


PR-F012


Modern Design Cable Railing Floating Staircase For Villa






Spiral Staircase





Technical Data:


Floor height: 2997mm
Step width: 661mm
Center beam thickness: 4mm
Diameter: min1300
Riser: 150-200mm



Component


Stair beam: 114*4mm/76*4mm carbon steel .sus304,sus316 satin/mirror finish
Tread: Carbon steel; stainless steel, solid wood; Glass.
Tread support: 38mm;25mm round tube carbon steel .sus304,sus316 satin/mirror finish
Baluster: Diameter 25mm/38mm/50.8mmbaluster carbon steel .sus304,sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Rod: 8mm solid rod,12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish











Technical Data
Floor height: 4150mm
Step width: 700mm
Riser: 180mm

Component
Stair beam: dia 102*6/110*5mm carbon steel . powder coated finish
Tread: 15mm Laser cut carbon steel sheet with cover , powder coated finish
Baluster: dia 25*1.2mm carbon steel small post, powder coated finish
Handrail: 57*13mm carbon steel plate top handrail. powder coated finish


PR-S001


PR-S002


PR-S003


PR-S004


PR-S005


PR-S006


PR-S007


PR-S008


PR-S009


PR-S010


PR-S011


PR-S012


PR-S013


PR-S014


PR-S015


PR-S016


PR-S017


PR-S018



PR-S019


PR-S020


PR-S021


Curved Staircase





Curved Staircase ELEVATION

Stretch Out View




Curved Staircase PLAN

UPPER FLOOR

Technical Data:
Floor height: 3467mm
Step width: 1000mm
Center beam thickness: 6mm
Riser: 188.8mm

Component
Stair beam: 300*6+300*6mm carbon steel .sus304, sus316 satin/mirror finish
Tread support: 40*40*5mm; 50*50*5mm; 6mm/5mm bend plate carbon steel .sus304, sus316 satin/mirror finish
Tread: Carbon steel; stainless steel, solid wood; Glass.
Baluster: Diameter 50.8mm baluster carbon steel .sus304,sus316 satin/mirror finish
Handrail: Diameter 50.8mm carbon steel; stainless steel; PVC; wood
Rod: 8mm solid rod, 12.7mm rod, carbon steel .sus304, sus316 satin/mirror finish



Curved Staircase ELEVATION

> > > 35/36


PR-C001


PR-C002



PR-C003


PR-C004


PR-C005


PR-C006


PR-C007


PR-C008


PR-C009


PR-C010


PR-C011


PR-C012


PR-C013


PR-C014



Glass Curved Staircase


PR-C015


PR-C016



PR-C017


PR-C018


PR-C019


> > > 41/42

Glass Staircase




Technical Data:
floor to floor height: 3477mm,
width: 1200mm,
riser: 117mm,
step: 31pcs+1Landing

Component:
Staircase Tread: 12+1.9+12+1.9+12MM frosted tempered glass
Balustrade: 12+3.04+12+3.04+12MM clear tempered glass
Standoff | glass clamp | custom-made: custom-made




B ELEVATION

Hardware accessories are 316 S.S materials




Tempered Glass



Etch Dots glass




Frosted Glass



Master Carre Glass



PR-G001



PR-G002



PR-G003


PR-G004


PR-G005


PR-G006


PR-G007



PR-G008


Glass Railing with Aluminum U Channel Base



62 & 70.5 U channel








For Glass 10-15mm thick

PAU 001-A





For Glass 17-24mm thick

PAU 001-B




Structure of product






> > > 47/48


45 U channel







For 12mm to 6+1.52+6mm tempered laminated glass

PAU 002





Installation Method







> > > 49/50

Other Designs









For 12mm to 6+1.52+6mm tempered laminated glass






For 12mm to 15mm tempered glass






For 12mm to 19mm tempered glass



For 17mm to 24mm tempered glass



For 10mm to 15mm tempered glass



PRR-U004




PRR-U005


PRR-U006


PRR-U007


PRR-U008

Color Options









> > > 55/56

Spigot Glass Railing






> > > 57/58


Round Spigot
Dia42 x H160mm





PRS 001




solid








hollow









PRR-S002


PRR-S003


Square Spigot
Size 40 x 40 x 160mm
Size 50 x 50 x 200mm



PRS 002



solid



hollow







> > > 61/62

For Swimming Pool



Self-closing door lock






PRR-S008


PRR-S009


PRR-S010


PRR-S011


PRR-S012


PRR-S013


PRR-S014





Other designs





PRS 008












> > > 65/66

Glass Clamp






10
10
70
6
70



15
10
70
6
70


70
6
64
6
27
6
70
10






100
10
10
70
70
6


15
70
6
27


100
47
6
47
6
27
6
6
27
6






80
70
80
70
10
10
80
6
15
6
6
74
80
53
6
15
6



PRR-S017



PRR-S018

Standoff Glass Railing




















PRR-P002


44
12
10
M12
50*50


50
3
M12
50



PRR-P003



PRR-P004



PRR-P005


PRR-P006


PRR-P007



PRR-P008



PRR-P009



PRR-P010





PRR-P011



PRR-P012




PRR-P013


102
51
100
202
ø50
51


51
202
100
12
Ø50
51
44
9.5
9.5


Ø50
9.5
12
44
9.5
102

> > > 73/74

Glass Baluster Railing

Round Baluster



PRR-B001



PRR-B002



PRR-B003



PRR-B004


PRR-B005


PRR-B006

Square Baluster


PRR-B007


PRR-B008


PRR-B009



PRR-B010


PRR-B011


PRR-B012



PRR-B013

Commercial glass balustrade



PRB-S12

Materral:304#
Finish:SSS 、 PSS 、 PVD




Format	Size			
	A	B	C	D
	930	200	495	235





PRB-S11

Materral:304#
Finish:SSS 、 PSS 、 PVD




Format	Size			
	A	B	C	D
	930	200	495	235



PRB-S15

Materral:304#
Finish:SSS 、 PSS 、 PVD



Format	Size			
	A	B	C	D
	1000	189	700	




PRR-B014


PRR-B015


PRR-B016

Cable Railing


PRR-C001


PRR-C002



PRR-C003


PRR-C004





Fastener&Tool



PFW-01



PFW-02



PFW-03



PFW-04



PFW-05



Hydraulic crimper


PRR-C007


PRR-C008


PRR-C009


PRR-C010



PRR-C011


PRR-C012

Rod Railing


PRR-R001


PRR-R002






PRR-R003


PRR-R004


PRR-R005


PRR-R006


PRR-R007


PRR-R008


PRR-R009



PRR-R010


PRR-R011



PRR-R012

Glass

- Tempered Glass



- Frosted Glass



- Tinted Glass




Fort blue glass



Euro bronze glass



Gold bronze glass



Green glass

Handrail Options


PRH-W01


PRH-W02


PRH-W03



PRH-W04


PRH-W05


PRH-W06


PRH-W07


PRH-S01


PRH-S02


PRH-S03


PRH-S04

Handrail Fittings


PRH-01


PRH-02


PRH-03


PRH-04


PRH-05


PRH-06


PRH-07


PRH-08


PRH-09


PRH-10


PRH-11


PRH-12


PRH-13


PRH-14


PRH-15


PRH-16


PRH-17


PRH-18



PRH-19


> > > 89/90


Aluminum Railing















PRR-A004


PRR-A005



PRR-A006


Aluminum Glass Railing






PRR-A008


PRR-A009


50
[1 31/32"]
49
[1 15/16"]


33
[1 5/16"]
32
[1 1/4"]


1067
[3'-6"]
33
[1 5/16"]
32
[1 1/4"]


49
[1 15/16"]
1067
[3'-6"]
1000
[3'-3 3/8"]

> > > 93/94



PRR-A010



PRR-A011


PRR-A012











180°




90°



End

> > > 95/96


Wrought Iron


PRR-I001


PRR-I002


PRR-I003


PRR-I004


PRR-I005


PRR-I006


PRR-I007


PRR-I008


PRR-I009



PRR-I010


PRR-I011


PRR-I012


PRR-I013


PRR-I014


PRR-I015


PRR-I016



PRR-I017



PRR-I018



PRR-I019




PRR-I020


PRR-I021


PRR-I022



PRR-I023


PRR-I024


PRR-I025


PRR-I026

Laser Cutting


PRR-L001



PRR-L002


PRR-L003


PRR-L004


PRR-L005


PRR-L006


PRR-L007


PRR-L008


PRR-L009

> > > 101/102



PRR-L010



PRR-L011



PRR-L012


PRR-L013


PRR-L014


PRR-L015

Aluminum Slat Fence


PRR-FE001


PRR-FE002


PRR-FE003









> > > 105/106



PRR-FE008



PRR-FE009


PRR-FE010


PRR-FE011


PRR-FE012







> > > 109/110

WPC


PRR-W001


PRR-W003


PRR-W002


PRR-W004


PRR-W005


PRR-W006


PRR-W007


PRR-W008


PRR-W009


PRR-W010


PRR-W011


PRR-W012


PRR-W013

PVC Railing







> > > 113/114


PRR-P004


PRR-P005


PRR-P006


PRR-P007











> > > 115/116

Project Gallary

Residences Le Sommet de Port Balustrade Projects(Haiti)









Canada

- Glass Railing with Aluminum U Channel Base





- Glass Railing With Baluster Glass Clamp





- Railing





- Staright staircase




USA

Staircase





Railing




Glass Railing with Aluminum U Channel Base






> > > 119/120


Australia

- Staright staircase







- Staright staircase



- Double staircase



- Floating saircase

- Spigot glass railing



- Glass Railing





UK

- Floating staircase





Sweden

- Glass Railing with Spigot





Netherlands Antilles

- Spigot glass railing




Fiji

- Glass Railing




Norway

- Glass Railing with Spigot



- Glass Railing with Aluminum Channel



Switzerland

- Glass Railing with Baluster





Seychelles

- Glass Railing with Aluminum Channel



Saudi arabia

- Glass Railing with Spigot



Cayman Islands

Staircase





Railing






Puerto rico

- Central beam staircase





Saint martin

- Staircase



Puerto rico

- Central beam staircase







Turks & Caicos islands

- Spigot glass railing



Virgin islands

- Stainless steel railing



Plan your next project.

01

Choose your reference

Share the model numbers, photographs or drawings that match your vision.

02

Define the details

Include opening dimensions, preferred materials, finishes and hardware.

03

Start the conversation

Send your project location and timing so we can discuss the next steps.



Let's build your view.

(212)-464-7433

Tpvcommercial.com

theperfectviewdesign@gmail.com

THE PERFECT VIEW

A StoneHaven Group Company

Details define the perfect view.

Staircases & Railings

(212)-464-7433

Tpvcommercial.com

theperfectviewdesign@gmail.com