THE PERFECT VIEW

A StoneHaven Group Company


THE ARCHITECTURAL COLLECTION



Wooden Doors

ENTRY / INTERIOR / HARDWARE

stonehavengrp.nyc | (212)-464-7433


Casing
Top Rail
Panels
Hinge
Hinge Stile
Mullion
Stop
Lock Stile
Hinge
Lock Rail
Jamb
Casing
Bottom Rail
Threshold (Saddle)

Contents

Product reference pages

Entrance doors 01-14

- Pivot doors 01-08
- Solid wood entrance doors 09-14

Composite doors 15-26

- Composite veneer doors 15-24
- Composite glass doors 25-26

Shaker doors 27-30

Barn doors 31-36

Floating sliding doors 37-40

Ecological doors 41-48

Pocket doors 49-54


Folding doors 55-64

- Folding doors 55-60
- Louver folding doors 61-64

Sliding doors 65-68

PVC doors 69-70

Accessories 71-78



ENTRANCE DOOR

The entrance door has a variety of shapes, with a certain degree of decoration, full of artistic sense, noble and elegant, giving a sense of generosity. In addition, it also has a high anti-theft performance, corrosion resistance, weather resistance and anti-UV characteristics.

PIVOT DOOR

The floor spring door can open freely inside and outside, and can make a larger door size than the ordinary swing door, which is a common door for renovation projects.



Pivot Door | 01/02


PR-EP002


PR-EP003


PR-EP004


PR-EP005


PR-EP006


PR-EP007


PR-EP008


PR-EP009


PR-EP010


PR-EP011


PR-EP012


WELCOME
PR-EP013


PR-EP014


PR-EP015


PR-EP016


PR-EP017


PR-EP018



PR-EP019



PR-EP020



PR-EP021


PR-EP022

SOLID WOOD ENTRANCE DOOR

The processed solid wood door has the characteristics of non-deformation, corrosion resistance, no cracks and heat insulation. Moth-proof, moisture-proof, anti-fouling, heat-resistant, anti-cracking, strong and non-deformation, sound insulation, it is a durable product.





Solid Wood Entrance Door | 09/10


PR-EP025







Solid Wood Entrance Door | 11/12


PR-EP029



PR-EP030


PR-EP031


PR-EP032


PR-EP033


PR-EP034


PR-EP035



COMPOSITE DOOR

The composite door has novel styles and full colors. It is beautiful, artistic, and three-dimensional. The surface adopts the color process, suitable for all types of room styles. With its elegant and customizable design, it delivers a refined interpretation of high-quality living.



Composite Door | 15/16

COMPOSITE VENEER DOOR

Composite wood veneer door has a strong resistance to deformation, it has a long maintenance cycle, good heat and sound insulation performance. It does not need to be painted, which is environmentally friendly and saves money.




PR-FH002


PR-FH003


PR-FH004


PR-FH005


PR-FH006



PR-FH007
PR-FH008


PR-FH009
PR-FH010


PR-FH011
PR-FH012


PR-FH013
PR-FH014



PR-FH015
PR-FH016


PR-FH017


PR-FH018


PR-FH019


PR-FH020


PR-FH021


PR-FH022


PR-FH023


PR-FH024


PR-FH025


PR-FH026


PR-FH028


PR-FH027


PR-FH029


PR-FH030


PR-FH031


PR-FH032


PR-FH033


PR-FH034


PR-FH035


PR-FH036


PR-FH037


PR-FH038


PR-FH039

COMPOSITE GLASS DOOR

The composite glass door is not easy to deform or crack, it is clear texture on the surface, the door has the characteristics of heat preservation, impact resistance, and flame retardant, and the sound insulation effect is basically the same as that of the solid wood composite door.




PR-FH041


PR-FH042


PR-FH043


PR-FH044


PR-FH045


PR-FH046



SHAKER DOOR

Shaker doors are environmentally friendly and resistant to cracking, warping, or discoloration. It can be carved with lines and various shapes. Smooth lines, bright colors, clear natural texture, and a strong sense of three-dimensional beauty.


PR-YB001


PR-YB002


PR-YB003


PR-YB004


PR-YB005


PR-YB006


PR-YB007


PR-YB008




Shaker Door | 29/30



BARN DOOR

Barn doors have a unique shape and good decorative effect. It is durable, space-saving, and cost-effective takes up little space, is suitable for different thicknesses of walls, and is easy to install. With various colors, its personalized design can meet different requirements.



1. Pulley
2. Track
3. Pulley Pole
4. Door Leaf
5. Door Frame

Barn Door | 31/32


PR-GC001








Barn Door | 33/34



PR-GC005


PR-GC006


PR-GC007


PR-GC008


PR-GC009



FLOATING SLIDING DOOR

The overall design of the ghost door is simple and beautiful. Its track is hidden inside the door panel, so it takes up little space and is suitable for installation in rooms with narrow space.



PR-GG001


PR-GG002


PR-GG003


PR-GG004


PR-GG005


PR-GG006


PR-GG007


PR-GG008



Floating Sliding Door | 39/40



ECOLOGICAL DOOR

The door structure of the ecological door is made of integral die-casting. This makes it seamless, airtight, and soundproof. The most important point is that it is less polluting to the environment.




PR-ST002


PR-ST003


PR-ST004


PR-ST005


PR-ST006



PR-ST007



PR-ST008



PR-ST009



PR-ST010



PR-ST011



PR-ST012


PR-ST013





PR-ST014



PR-ST015



PR-ST016



PR-ST017


PR-ST018



PR-ST019



PR-ST020



PR-ST021



PR-ST022



PR-ST023



PR-ST024




PR-ST025



POCKET DOOR

The pocket door is beautiful and generous, which facilitates the free division of two spaces. When the door is closed, the space is divided into two parts. When the door is opened, you cannot see the existence of the door. The perfect combination of door frame and door leaf, easy to install, save time, labor, material, and money, which is an economical product.



Pocket Door | 49/50


PR-KD001


PR-KD002


PR-KD003


PR-KD004


PR-KD005


PR-KD006


PR-KD007


PR-KD008



PR-KD009


PR-KD010


PR-KD011



PR-KD012


PR-KD013



FOLDING DOOR

Folding doors are mainly suitable for partitions or screens purposes in workshops, shopping malls, office buildings, exhibition halls, home decoration and other places, It can be installed indoors or outdoors. It has a great effect on temperature insulation, dust prevention, noise reduction, sound insulation, and shielding.



1: Door Leaf **2: Door Frame** **3: Upper Frame** **4: Latch**
5: Track **6: Hinge** **7: Door Frame** **8: Fixed Strip** **9: Door Lock**








PR-ZD001


PR-ZD002


PR-ZD003


PR-ZD004


PR-ZD005


PR-ZD006



PR-ZD007



PR-ZD008


PR-ZD009


PR-ZD010


PR-ZD011


PR-ZD012


PR-ZD013

LOUVER FOLDING DOOR

The louvered folding door is beautiful and energy-saving, simple and agile, and can be completely folded up with a clear view of the outside. It can also protect privacy while ventilating and letting in light.





Louver Folding Door | 61/62


PR-ZD016



Louver Folding Door | 63/64



SLIDING DOOR

Sliding door refers to the door leaf connected to the pulley and movable on a fixed track. It has the characteristics of easy installation, reusable, environmental protection, etc.


PR-YM001


PR-YM002


PR-YM003


PR-YM004



PR-YM005




PR-YM006



PR-YM007


PR-YM008



PVC DOOR


PVC doors are not only corrosion-resistant, non-flammable, insulating and anti-oxidant, but also can be reprocessed.
Due to its high security, it can be found everywhere in life. The perfect combination of door frame and door leaf.
Easy to install, time- and cost-saving, making it a highly cost-effective solution.



PR-P001



PR-P002



PR-P003



PR-P004

size range	height:1900-2200mm(74.8-86.6in)
	width:610-1050mm(24-41.34in)
	thickness:30-45mm(1.18-1.75in)
surface	0.12/0.14/0.16mm PVC film
fill-in core	MDF sticks core
	honeycomb paper core
	parlicle board core
	solid wood core
edge sealing type	dovetail groove
	PVC strips
	solid wood
finish type	finished

Entry Door Mechanical Locks



Model: PR-MS001
Material: Zinc Alloy



Model: PR-MS002
Material: Zinc Alloy



Model: PR-MS003
Material: Zinc Alloy



Model: PR-MS004
Material: 304 Stainless Steel



Model: PR-MS005
Material: 304 Stainless Steel



Model: PR-MS006
Material: 304 Stainless Steel

Pivot door locks



Model: PR-MS007
Material: Zinc Alloy



Model: PR-MS008
Material: 304 Stainless

Sliding door locks



Model: PR-MS009
Material: Zinc Alloy



Model: PR-MS010
Material: Zinc Alloy


Interior Door Locks



Model: PR-MS011
Material: 304 Stainless Steel



Model: PR-MS012
Material: 304 Stainless Steel



Model: PR-MS013
Material: 304 Stainless Steel



Model: PR-MS014
Material: 304 Stainless Steel




Model: PR-MS015
Material: Zinc Alloy



Model: PR-MS016
Material: Zinc Alloy



Model: PR-MS017
Material: Zinc Alloy



Model: PR-MS018
Material: Space Aluminum



Model: PR-MS019
Material: Space Aluminum




Model: PR-MS020
Material: Zinc Alloy

Swing door hinge



Model: PR-MS021
Material: 304 Stainless Steel
Name: Non-Mortise Hinge



Model: PR-MS022
Material: 304 Stainless Steel
Name: Full Mortise Hinge



Model: PR-MS023
Material: 304 Stainless Steel
Name: Lift Off Hinge



Model: PR-MS024
Material: 304 Stainless Steel
Name: Invisible Hinge



Model: PR-MS025
Material: 304 Stainless Steel
Name: Hydraulic Hinge



Model: PR-MS026
Material: 304 Stainless Steel
Name: Diuble Action Spring Hinge

Long pull handle



Model: PR-MS027
Material: 304 Stainless Steel



Model: PR-MS028
Material: 304 Stainless Steel



Model: PR-MS029
Material: 304 Stainless Steel



Model: PR-MS030
Material: 304 Stainless Steel

Sliding door / folding door sliding track + pulley



Model: PR-MS031
Material: 304 Stainless Steel
Type: Barn Door Sliding Track



Model: PR-MS032
Material: Aluminum Alloy
Type: Barn Door Sliding Track Track




Model: PR-MS033
Material: Carbon Steel
Type: Barn Door Sliding Track




Model: PR-MS034
Material: Aluminum Alloy
Type: Sliding Door Sliding Track



Model: PR-MS035
Material: Sliding Door Hanging Wheel



Model: PR-MS036
Material: Sliding Door
Hanging Wheel With Cushion



Model: PR-MS037
Material: Folding Door Hanging Wheel Set

Floor Spring Set



Model: PR-MS038
Material: Folding Door
Hanging Wheel Set

Other Accessories



Model: PR-MS039
Material: 304 Stainless Steel
Name: Ball Catch Latch



Model: PR-MS040
Material: 304 Stainless Steel
Name: Roller Latch For Sliding Door / Folding Door

American-style door locks



PR-UK001



PR-UK002



PR-UK003



PR-UK004



PR-UK005



PR-UK006



PR-UK007



PR-UK008



PR-UK009



PR-UK010



PR-UK011



PR-UK012





PR-UK013



PR-UK014

Door installation





1.Check whether the door frame matches the door leaf; trim if necessary;

2.Use screw assemble the frame, the archiraves are not to installed;


3.Fasten the door frame to the hole with fixed iron plate;


4.Install hinges to secure the door leaf to the door frame;

5.Install the lock and stopper;


6.Install architraves to the door frame.

Measuring method for door size







Left Hand Active
(Astragal with Flush Bolt Unit)




Both Hands Active (ball catch unit)




Right Hand Active
(Astragal with Flush Bolt Unit)



Right Hand




Left Hand







Measuring Door Opening
(for door sets with frames)



A: Opening Width: Select the upper/middle/ lower points for measurement, choose the smallest one.

B: Opening Height: Select the left/middle/ right points for measurement, choose the smallest one.

C: Wall Thickness: Select the upper/middle/ lower points for measurement, choose the biggest one.

Plan your next project.

01

Choose your reference

Share the model numbers, photographs or drawings that match your vision.

02

Define the details

Include opening dimensions, preferred materials, finishes and hardware.

03

Start the conversation

Send your project location and timing so we can discuss the next steps.



Let's build your view.

(212)-464-7433

stonehavengrp.nyc

info@stonehaven.nyc

THE PERFECT VIEW

A StoneHaven Group Company

Details define the perfect view.

Wooden Doors

(212)-464-7433

stonehavengrp.nyc

info@stonehaven.nyc